PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference PD53570PC	FOR FURTHER ACTION	See Form PCT/IPEA/416		
International application No. PCT/EP2004/006226	International filing date (day/month/yea 09.06.2004	19.06.2003		
International Patent Classification (IPC) or national classification and IPC H04M1/725, H04N7/15, H04N7/14 Applicant				
Applicant SONY ERICSSON MOBILE COMM		<u> </u>		
1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.				
2. This REPORT consists of a total of 5 sheets, including this cover sheet.				
3. This report is also accompanied by ANNEXES, comprising:				
	the International Bureau) a total of			
⊠ sheets of the description and for sheets containing Administrative Instruct	ng rectifications authorized by this Ai	ve been amended and are the basis of this report uthority (see Rule 70.16 and Section 607 of the		
sheets which supersed beyond the disclosure Supplemental Box.	de earlier sheets, but which this Auth in the international application as file	ority considers contain an amendment that goes ed, as indicated in item 4 of Box No. I and the		
sequence listing and/or tab	<i>ureau only)</i> a total of (indicate type a les related thereto, in computer read Listing (see Section 802 of the Admi	and number of electronic carrier(s)) , containing a lable form only, as indicated in the Supplemental inistrative Instructions).		
4. This report contains indications re	lating to the following items:			
☑ Box No. I Basis of the opin	nion ·			
☐ Box No. II Priority		,		
☐ Box No. III Non-establishme	ent of opinion with regard to novelty,	inventive step and industrial applicability		
☐ Box No. IV Lack of unity of i		, ,		
☐ Box No. V Reasoned stater applicability; cita	ment under Article 35(2) with regard tions and explanations supporting s	to novelty, inventive step or industrial uch statement		
☐ Box No. VI Certain documer	nts cited			
	n the international application			
☐ Box No. VIII Certain observat	ions on the international application			
Date of submission of the demand	Date of comp	letion of this report		
22.03.2005	26.09.2005	5		
Name and mailing address of the international preliminary examining authority:	Authorized O	fficer		
European Patent Office - P.B. 8 NL-2280 HV Rijswijk - Pays Ba Tel. +31 70 340 - 2040 Tx: 31 0 Fax: +31 70 340 - 3016	Willems, B	D. +31 70 340-1026		

IAP9 Rec d PCT/PTO 16 DEC 2009

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/006226

	Box No. I	Basis of the report	
1.	With regard to the language , this report is based on the international application in the language in which it villed, unless otherwise indicated under this item.		
	which is □ interi □ publi	the language of a to national search (und ication of the interna	slations from the original language into the following language, anslation furnished for the purposes of: er Rules 12.3 and 23.1(b)) tional application (under Rule 12.4) examination (under Rules 55.2 and/or 55.3)
2.	With regard to the elements* of the international application, this report is based on (replacement sheets have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in report as "originally filed" and are not annexed to this report):		
	Description, I	Pages	
	1-11		as originally filed
	Claims, Numl	bers	
	1-29		filed with telefax on 22.03.2005
	Drawings, Sh	eets	
	1/2, 2/2		as originally filed
	□ a seque	nce listing and/or an	y related table(s) - see Supplemental Box Relating to Sequence Listing
3.	☐ The ame	endments have resu	Ited in the cancellation of:
		escription, pages laims, Nos.	
	. 🗆 the di	rawings, sheets/figs	
		equence listi <mark>n</mark> g <i>(spe</i> able(s) related to se	city): quence listing <i>(specify)</i> :
	had not been	ort has been establi n made, since they h al Box (Rule 70.2(c))	shed as if (some of) the amendments annexed to this report and listed below ave been considered to go beyond the disclosure as filed, as indicated in the
	☐ the de	escription, pages	
		laims, Nos. rawings, sheets/figs	
		equence listing <i>(spe</i> able(s) related to se	cify): quence listing <i>(specify)</i> :
			TO OF 317 of those sheets are be a trained and a second a

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/006226

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

8-21,23,26-29

No:

1-7,22,24,25

Inventive step (IS)

Yes: Claims

No: Claims

Claims

1-29

Industrial applicability (IA)

Yes: Claims

1-29

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

PCT/EP2004/006226

Re Item V.

1 The following document is referred to in this communication:

D1: US 2001/048463 A1 (LUNDEN VESA) 6 December 2001 (2001-12-06)

D2: WO 01 31900 A (PINGTEL CORP) 3 May 2001 (2001-05-03)

The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claim 1 is not new in the sense of Article 33(2) PCT.

Document D1 discloses (the references in parenthesis applying to this document): a method for forming an output media stream to be transmitted during a communication session from a portable communication device, wherein said media stream comprises signals of a first type, comprising the steps of: generating in real time a first media stream in the portable communication device, mixing in real time the first media stream with a second media stream, for forming the output media stream (paragraph 27)

The term mixing is interpreted as combining streams which can eventually be separated at the receiver end. D1 in paragraph 27 discloses the multiplexing of an audio stream and a video stream.

The subject-matter of claim 1 is therefore not novel.

- Dependent claims 2-7 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT with respect to novelty, since the features are already disclosed in D1 (paragraphs 7-19, 27, 34 and 38-39)
- Dependent claims 8-21 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT with respect to inventive step, the reasons being as follows: all the features from the dependent claims (combining, delaying, superposing and blending) are already disclosed in D2. These features could easily be transposed from the fixed communication device of document D2 to a portable communication device and therefore they constitute an obvious design possibility for the skilled person.
- 5 Similar analysis applies to the portable communication device claim 22. Hence the

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2004/006226

subject-matter of independent claim 22 is not new.

- Dependent claims 24 and 25 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT with respect to novelty, since the features are already disclosed in D1 (paragraphs 7-19, 27, 34 and 38-39)
- 1.6 For claims 23, 26-29 similar objections apply as for dependent claims 8-21.

5

15

30

IAP9 Rec'd PCT/PTO 16 DEC 2009

CLAIMS

- Method for forming an output media stream to be transmitted during a communication session from a portable communication device (200), wherein said media stream comprises signals of a first type, comprising the steps of:
 - generating in real time a first media stream in the portable communication device (step 104),
- mixing in real time the first media stream with a second media stream, for forming the output media stream (steps 110, 112 and 114).
 - Method according to claim 1, wherein said output media stream comprises signals of a second type.
 - Method according to claim 1, further comprising the step of transmitting said output media stream (step 116).
- 4. Method according to claim 1, further comprising the step of establishing a connection with another device (step 102).
 - Method according to claim 4, wherein said connection is a circuit-switched connection.
- 6. Method according to any previous claim, in which at least one of the steps is dependent on input data from a user of said portable communication device.
 - Method according to claim 1, wherein the step of mixing comprises mixing signals of a
 first type from the first media stream with signals of a second type from the second
 media stream.
 - Method according to claim 1, wherein the step of mixing comprises mixing signals of a
 first type from the first media stream with signals of the first type from the second
 media stream.
- 9. Method according to claim 8, wherein the step of mixing further comprises mixing signals of a second type from the first media stream with the signals from the second media stream.
- Method according to claim 8, wherein the step of mixing further comprises mixing
 signals from the first media stream with signals of the second type from the second media stream.
 - 11. Method according to claim 10, wherein the step of mixing further comprises mixing signals of the second type from the first media stream with signals from the second

media stream.

12. Method according to claim 11, wherein the step of mixing further comprises the step of:

5

delaying, prior to mixing, signals of one type of the second media stream (step 108), in relation to the other type of signals of the same stream, for providing synchronized signals from the second media stream within the output media stream.

10

- 13. Method according to claim 10, 11 or 12, wherein the step of mixing further comprises independently mixing signals of the first type and signals of the second type (steps 110 and 112).
- 14. Method according to claim 9 or 11, wherein the step of mixing further comprises delaying signals of one type within the output media stream, in relation to the other type of signals of the same stream, for providing synchronized signals from the first media stream within the output media stream.
- 20 15. Method according to claim 9, wherein the step of mixing signals, where the signals of the first type are audio signals, further comprises the step of superposing the signals of said first type.
- Method according to claim 15, wherein the step of superposing comprises weighting
 properties of the audio signals from the first media stream and the second media stream.
- Method according to claim 9, wherein the step of mixing signals, where the signals of the first type are image signals, further comprises the step of blending the signals of the first type.
 - 18. Method according to claim 17, wherein the step of blending comprises weighting properties of the image signals from the first media stream and the second media stream.

35

- 19. Method according to claim 16 or 18, wherein weighting properties includes varying the proportion of signals from the first media stream in relation to the proportion of signals from the second media stream.
- 40 20. Method according to claim 19, wherein the weighting properties is dependent on input data of a user of said portable communication device.
 - 21. Method according to claim 19, wherein the varying said proportions comprises varying of each proportion within the range between 0 and 100%.

5

10

30

35

- 22. Portable communication device (200) for forming an output media stream to be transmitted during a communication session from said portable communication device (200), wherein said output media stream comprises signals of a first type, said portable communication device (200) comprising:
 - at least one generating unit (206, 208) provided for generating a first media stream (step 104),
 - a first mixing unit (216), connected to said generating unit, provided for mixing in real time the first media stream with a second media stream (steps 110 or 112), and
 - a control unit (204) controlling the generating unit and the mixing unit (216),
 in dependence of user input.
- Portable communication device (200) according to claim 22, for forming an output media stream to be transmitted during a communication session from said portable communication device (200), wherein the first mixing unit (216) is provided for mixing signals of the first type of both the first and the second media streams (steps 110 or 112), wherein the output media stream comprises signals of the first type and a second type, wherein the portable device (200) further comprises:
 - a second mixing unit (218),
- for mixing signals of the second type of the first media stream and signals of the second type of the second media stream by using the second mixing unit (218).
 - 24. Portable communication device (200) according to claim 22 or 23, further comprising:
 - a memory unit (210) for providing storage for the second media stream.
 - 25. Portable communication device (200) according to any one of claims 22-24, further comprising:
 - a user input interface (202) for providing user input.
 - 26. Portable communication device (200) according to claim 23, wherein said device (200) further comprises:
- a multiplexing unit (220) for providing synchronization of signals of one type 40 from the first media stream in relation to signals of the other type from the same first media stream, within the output media stream.
 - 27. Portable communication device (200) according to any one of claims 23-25, further comprising:

- a delaying unit (214) for providing synchronized signals within the output media stream.
- 5 28. Portable communication device (200) according to claim 27, where the delaying unit (214) provides synchronization of signals from the second media stream, prior to mixing with the first stream.
- 29. Portable communication device (200) according to claim 28, where the delaying unit
 (214) provides synchronization of signals of one type in relation to signals of the other type from the same second media stream.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.